ELSEVIER

Mechanisms of Development 57 (1996) 235–236

Volume contents

Volume 57 (1996)

Issue contents 1

E. Kaufmann, W. Knöchel
Five years on the wings of fork head 3

D. Escalante-Alcalde, F. Recillas-Targa, D. Hernández-García, S. Castro-Obregón, M. Terao, E. Garattini, L. Covarrubias
Retinoic acid and methylation *cis*-regulatory elements control the mouse tissue non-specific alkaline phosphatase gene expression 21

R.H. Adams, H. Betz, A.W. Püschel
A novel class of murine semaphorins with homology to thrombospondin is differentially expressed during early embryogenesis 33

C.W. Lassy, T.L. Karr
Cytological analysis of fertilization and early embryonic development in incompatible crosses of *Drosophila simulans* 47

A. Goubeaud, S. Knirr, R. Renkawitz-Pohl, A. Paululat
The *Drosophila* gene *alien* is expressed in the muscle attachment sites during embryogenesis and encodes a protein highly conserved between plants, *Drosophila* and vertebrates 59

Y. Watanabe, N.M. Le Douarin
A role for *BMP-4* in the development of subcutaneous cartilage 69

M.K. Duncan, X. Li, H. Ogino, K. Yasuda, J. Piatigorsky
Developmental regulation of the chicken βB1-crystallin promoter in transgenic mice 79

B. Murugasu-Oei, R. Balakrishnan, X. Yang, W. Chia, V. Rodrigues
Mutations in *masquerade*, a novel serine-protease-like molecule, affect axonal guidance and taste behavior in *Drosophila* 91

S.V. Subramanian, B. Nadal-Ginard
Early expression of the different isoforms of the myocyte enhancer factor-2 (MEF2) protein in myogenic as well as non-myogenic cell lineages during mouse embryogenesis 103

K.A. McDowell, A. Hilfiker, J.C. Lucchesi
Dosage compensation in *Drosophila*: the X chromosome binding of MSL-1 and MSL-2 in female embryos is prevented by the early expression of the *Sxl* gene 113

J. Nichols, D. Davidson, T. Taga, K. Yoshida, I. Chambers, A. Smith
Complementary tissue-specific expression of LIF and LIF-receptor mRNAs in early mouse embryogenesis 123

D.C. Weinstein, S.M. Rahman, J.C. Ruiz, A. Hemmati-Brivanlou
Embryonic expression of *eph* signalling factors in *Xenopus* 133

D. Duprez, E.J. de H. Bell, M.K. Richardson, C.W. Archer, L. Wolpert, P.M. Brickell, P.H. Francis-West
Overexpression of BMP-2 and BMP-4 alters the size and shape of developing skeletal elements in the chick limb 145

G.-Q. Zhao, B.L.M. Hogan
Evidence that mouse *Bmp8a* (*Op2*) and *Bmp8b* are duplicated genes that play a role in spermatogenesis and placental development 159

P. Briata, E. Di Blas, M. Gulisano, A. Mallamaci, R. Iannone, E. Boncinelli, G. Corte
EMX1 homeoprotein is expressed in cell nuclei of the developing cerebral cortex and in the axons of the olfactory sensory neurons 169

T. Miya, K. Morita, N. Ueno, N. Satoh
An ascidian homologue of vertebrate *BMPs-5–8* is expressed in the midline of the anterior neuroectoderm and in the midline of the ventral epidermis of the embryo 181

0925-4773/96/$15.00 © 1996 Elsevier Science Ireland Ltd. All rights reserved

S. Schneider, H. Steinbeisser, R.M. Warga, P. Hausen
β-catenin translocation into nuclei demarcates the dorsalizing centers in frog and fish embryos 191

D. Bertwistle, M.E. Walmsley, E.M. Read, J.A. Pizzey, R.K. Patient
GATA factors and the origins of adult and embryonic blood in *Xenopus*: responses to retinoic acid 199

C.-M. Chen, J.A. Freedman, D.R. Bettler, Jr., S.D. Manning, S.N. Giep, J. Steiner, H.M. Ellis
polychaetoid is required to restrict segregation of sensory organ precursors from proneural clusters in *Drosophila* 215

Author index 229
Subject index 231
Volume contents 235